


sii|ora

Preserving Nature's Most Wonderful Creation



**Large Fragment Implants
& Instruments (Non- Locking)**




Cortical Screw 4.5mm Dia.

Cat No.	Length (mm)
Stainless Steel	
106.012	12
106.014	14
106.016	16
106.018	18
106.020	20
106.022	22
106.024	24
106.026	26
106.028	28
106.030	30
106.032	32
106.034	34
106.036	36
106.038	38
106.040	40
106.042	42
106.044	44
106.046	46
106.048	48
106.050	50
106.052	52
106.054	54
106.056	56
106.058	58
106.060	60
106.062	62
106.064	64
106.066	66
106.068	68
106.070	70
106.072	72
106.074	74



Cortical Screw 4.5mm Dia Self Tapping

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
106.214	14	Ti.106.214
106.216	16	Ti.106.216
106.218	18	Ti.106.218
106.220	20	Ti.106.220
106.222	22	Ti.106.222
106.224	24	Ti.106.224
106.226	26	Ti.106.226
106.228	28	Ti.106.228
106.230	30	Ti.106.230
106.232	32	Ti.106.232
106.234	34	Ti.106.234
106.236	36	Ti.106.236
106.238	38	Ti.106.238
106.240	40	Ti.106.240
106.242	42	Ti.106.242
106.244	44	Ti.106.244
106.246	46	Ti.106.246
106.248	48	Ti.106.248
106.250	50	Ti.106.250
106.252	52	Ti.106.252
106.254	54	Ti.106.254
106.256	56	Ti.106.256
106.258	58	Ti.106.258
106.260	60	Ti.106.260
106.262	62	Ti.106.262
106.264	64	Ti.106.264
106.266	66	Ti.106.266
106.268	68	Ti.106.268
106.270	70	Ti.106.270
106.272	72	Ti.106.272
106.274	74	Ti.106.274
106.276	76	Ti.106.276
106.280	80	Ti.106.280




Malleolar Screw 4.5mm

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
107.025	25	Ti.107.025
107.030	30	Ti.107.030
107.035	35	Ti.107.035
107.040	40	Ti.107.040
107.045	45	Ti.107.045
107.050	50	Ti.107.050
107.055	55	Ti.107.055
107.060	60	Ti.107.060
107.065	65	Ti.107.065
107.070	70	Ti.107.070
107.075	75	Ti.107.075
107.080	80	Ti.107.080



Cancellous Screw 6.5mm Dia 16mm Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
108.025	25	Ti.108.025
108.030	30	Ti.108.030
108.035	35	Ti.108.035
108.040	40	Ti.108.040
108.045	45	Ti.108.045
108.050	50	Ti.108.050
108.055	55	Ti.108.055
108.060	60	Ti.108.060
108.065	65	Ti.108.065
108.070	70	Ti.108.070
108.075	75	Ti.108.075
108.080	80	Ti.108.080
108.085	85	Ti.108.085
108.090	90	Ti.108.090
108.095	95	Ti.108.095
108.100	100	Ti.108.100
108.105	105	Ti.108.105
108.110	110	Ti.108.110




Cancellous Screw 6.5mm Dia 32mm Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
109.035	35	Ti.109.035
109.040	40	Ti.109.040
109.045	45	Ti.109.045
109.050	50	Ti.109.050
109.055	55	Ti.109.055
109.060	60	Ti.109.060
109.065	65	Ti.109.065
109.070	70	Ti.109.070
109.075	75	Ti.109.075
109.080	80	Ti.109.080
109.085	85	Ti.109.085
109.090	90	Ti.109.090
109.095	95	Ti.109.095
109.100	100	Ti.109.100
109.105	105	Ti.109.105
109.110	110	Ti.109.110



Cancellous Screw 6.5mm Dia Full Thread

Cat No.	Length (mm)	Cat No.
Stainless Steel		Titanium
110.025	25	Ti.110.025
110.030	30	Ti.110.030
110.035	35	Ti.110.035
110.040	40	Ti.110.040
110.045	45	Ti.110.045
110.050	50	Ti.110.050
110.055	55	Ti.110.055
110.060	60	Ti.110.060
110.065	65	Ti.110.065
110.070	70	Ti.110.070
110.075	75	Ti.110.075
110.080	80	Ti.110.080
110.085	85	Ti.110.085
110.090	90	Ti.110.090
110.095	95	Ti.110.095
110.100	100	Ti.110.100
110.105	105	Ti.110.105
110.110	110	Ti.110.110



Straight Reconstruction Plate 4.5mm

Cat No.	Holes	Length (mm)
Stainless Steel		
149.104	4	61
149.105	5	77
149.106	6	93
149.107	7	109
149.108	8	125
149.109	9	141
149.110	10	157
149.112	12	189
149.114	14	221
149.116	16	253
149.118	18	285
149.120	20	317
149.122	22	349



LC-DCP for 4.5mm Screw - Narrow

Cat No.	Holes	Cat No.
Stainless Steel		Stainless Steel
150.104	4	Ti.150.104
150.105	5	Ti.150.105
150.106	6	Ti.150.106
150.107	7	Ti.150.107
150.108	8	Ti.150.108
150.109	9	Ti.150.109
150.110	10	Ti.150.110
150.111	11	Ti.150.111
150.112	12	Ti.150.112
150.114	14	Ti.150.114
150.116	16	Ti.150.116



LC-DCP for 4.5mm Screw - Broad

Cat No.	Holes	Cat No.
Stainless Steel		Titanium
151.104	4	Ti.151.104
151.105	5	Ti.151.105
151.106	6	Ti.151.106
151.107	7	Ti.151.107
151.108	8	Ti.151.108
151.109	9	Ti.151.109
151.110	10	Ti.151.110
151.111	11	Ti.151.111
151.112	12	Ti.151.112
151.113	13	Ti.151.113
151.114	14	Ti.151.114
151.115	15	Ti.151.115
151.116	16	Ti.151.116
151.117	17	Ti.151.117
151.118	18	Ti.151.118



Semi -Tubular Plate Heavy Duty 4.5mm

Cat No.	Holes
Stainless Steel	
156.104	4
156.105	5
156.106	6
156.107	7
156.108	8
156.109	9
156.110	10
156.111	11
156.112	12




4.5mm DCP Plate - Narrow

Cat No.	Holes	Cat No.
Stainless Steel		Titanium
157.104	4	Ti.157.104
157.105	5	Ti.157.105
157.106	6	Ti.157.106
157.107	7	Ti.157.107
157.108	8	Ti.157.108
157.109	9	Ti.157.109
157.110	10	Ti.157.110
157.111	11	Ti.157.111
157.112	12	Ti.157.112
157.113	13	Ti.157.113
157.114	14	Ti.157.114
157.115	15	Ti.157.115
157.116	16	Ti.157.116



4.5mm DCP Plate - Broad

Cat No.	Holes
Stainless Steel	
158.104	4
158.105	5
158.106	6
158.107	7
158.108	8
158.109	9
158.110	10
158.111	11
158.112	12
158.114	14
158.116	16
158.118	18
158.120	20



T - Plate 4.5mm

Cat No.	Holes	Length (mm)
Stainless Steel		
159.103	3	68
159.104	4	84
159.105	5	100
159.106	6	116
159.107	7	132
159.108	8	148
159.109	9	164
159.110	10	180



T - Buttress Plate 4.5mm

Cat No.	Holes	Length (mm)
Stainless Steel		
160.104	4	81
160.105	5	96
160.106	6	112
160.107	7	128
160.108	8	144
160.109	9	160
160.110	10	176



L - Buttress Plate 4.5mm

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
161.133	3	161.103
161.134	4	161.104
161.135	5	161.105
161.136	6	161.106
161.137	7	161.107
161.138	8	161.108
161.139	9	161.109
161.140	10	161.110



Condylar Buttress Plate 4.5mm

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
164.007L	7	164.107R
164.009L	9	164.109R
164.011L	11	164.111R
164.012L	12	164.112R
164.013L	13	164.113R
164.015L	15	164.115R



Fibular Distal Tibia Bone Plate

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
851.011	7	851.001
851.012	9	851.002
851.013	11	851.003
851.014	13	851.004



Distal Femur Bone Plate

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
852.207	7	852.217
852.209	9	852.219
852.211	11	852.221
852.213	13	852.223



Tibial Distal Tibial Bone Plate

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
851.225	5	851.255
851.227	7	851.257
851.229	9	851.259
851.231	11	851.261
851.233	13	851.263



Washer - S.S. for 6.5mm cancellous and 7.0mm cannulated cancellous screw

Cat No.	Dia. (mm)	Inner Dia. (mm)
115.020	13	6.6



Threaded Krischner Wire -Stainless Steel

Cat No.	Dia.	Cat No.
Length 225mm		Length 150mm
185.215	1.5	185.315
185.220	2.0	185.320
185.225	2.5	185.325



Steinman Pin

Cat No.	Dia.	Length(mm)
Stainless Steel		
187.30.15	3.0	150
187.30.17	3.0	175
187.30.20	3.0	200
187.30.22	3.0	225
187.35.15	3.5	150
187.35.17	3.5	175
187.35.20	3.5	200
187.35.22	3.5	225
187.40.15	4.0	150
187.40.17	4.0	175
187.40.20	4.0	200
187.40.22	4.0	225
187.45.15	4.5	150
187.45.17	4.5	175
187.45.20	4.5	200
187.45.22	4.5	225
187.50.15	5.0	150
187.50.17	5.0	175
187.50.20	5.0	200
187.50.22	5.0	225



Centrally Threaded Steinman Pin

Trocar Tip, Thread Diameter 0.5 mm larger than pin Diameter.

Cat No.	Dia.	Length (mm)
Stainless Steel		
188.040	4.0	225
188.045	4.5	225
188.050	5.0	225
188.060	6.0	225



Circlage Wire with Loop

Cat No.	Dia.	Cat No.
Length 280mm	Stainless Steel	Length 600mm
193.217	17 SWG (1.5mm)	193.317
193.218	18 SWG (1.25mm)	193.318
193.219	19 SWG (1.0mm)	193.319
193.220	20 SWG (0.9mm)	193.320
193.221	21 SWG (0.8mm)	193.321



Lateral Tibial Head Buttress Plate 4.5mm

Cat No.	Holes	Cat No.
Left	Stainless Steel	Right
165.105L	5	165.005R
165.107L	7	165.007R
165.109L	9	165.009R
165.111L	11	165.011R
165.113L	13	165.013R




Stainless Steel Suture Wire

Cat No.	Dia.	Cat No.
Standard Length	Stainless Steel	10 MTR Roll
184.016	16 SWG (1.60mm)	184.216
184.017	17 SWG (1.50mm)	184.217
184.018	18 SWG (1.25mm)	184.218
184.019	19 SWG (1.00mm)	184.219
184.020	20 SWG (0.90mm)	184.220
184.021	21 SWG (0.80mm)	184.221
184.022	22 SWG (0.70mm)	184.222
184.023	23 SWG (0.60mm)	184.223
184.024	24 SWG (0.55mm)	184.224
184.026	26 SWG (0.45mm)	184.226
184.028	28 SWG (0.35mm)	184.228
184.030	30 SWG (0.30mm)	184.230




Kirschner Wire with Trocar Tip

Cat No.	Dia.(mm)	Length(mm)
Stainless Steel		
185.101	0.8	70
185.108	0.9	70
185.102	0.8	100
185.109	0.9	100
185.115	1.0	100
185.121	1.1	100
185.126	1.2	100
185.131	1.4	100
185.103	0.8	150
185.110	0.9	150
185.116	1.0	150
185.122	1.1	150
185.127	1.2	150
185.132	1.4	150
185.140	1.5	150
185.146	1.6	150
185.150	1.8	150
185.156	2.0	150
185.166	2.2	150
185.176	2.3	150
185.186	2.5	150
185.196	3.0	150
185.117	1.0	225
185.123	1.1	225
185.128	1.2	225
185.133	1.4	225
185.141	1.5	225
185.147	1.6	225
185.151	1.8	225
185.157	2.0	225
185.167	2.2	225
185.177	2.3	225
185.187	2.5	225
185.197	3.0	225
185.118	1.0	300
185.124	1.1	300
185.129	1.2	300
185.134	1.4	300
185.142	1.5	300
185.148	1.6	300
185.152	1.8	300
185.158	2.0	300
185.168	2.2	300
185.178	2.3	300
185.188	2.5	300
185.198	3.0	300



Drill Bit - S.S. Quick Coupling End

Cat No.	Dia (mm)	Length (mm)
Stainless Steel		
260.320	3.2	130
260.325	3.2	200
260.326	3.2	145
260.349	3.5	110
260.350	3.5	130
260.375	3.5	200
260.450	4.5	130
260.451	4.5	145
260.475	4.5	200



Bone Tap Quick Coupling End


Cat No.	Dia (mm)	Thread Length (mm)	Total Length (mm)
Stainless Steel			
264.040	4.5	70	125
264.045	4.5	70	175
264.050	6.5	32	195

Cancellous



Drill Bit - Plain Shank / Jacob Chuck End

Cat No.	Dia (mm)	Length (mm)
Stainless Steel		
261.632	3.2	130
261.633	3.2	200
261.635	3.5	130
261.636	3.5	200
261.645	4.5	130
261.646	4.5	200



Bone Tap with T - Handle

Cat No.	Dia (mm)	Thread Length (mm)	Total Length (mm)
Stainless Steel			
263.040	4.5	70	125
263.045	4.5	70	175
263.050	6.5	32	200

Cancellous



301.030 Hexagonal Screw Driver with Self Holding Sleeve 3.5mm Tip



301.050 Large Hexagonal Screw Driver 3.5mm Tip



301.070 Screw Driver Shaft Q.C. End - 3.5mm Tip



302.020 Large Plate Bender (Pair)



302.030 Plate Bending Plier (Roller Type)



302.060 Plate Bender for Reconstruction Plates for 4.5mm Plates



302.070 Plate Bending Press



303.020 Large Depth Gauge



304.020 Large Neutral & Loaded Drill Guide



305.030 Counter Sink with T - Handle - 8.0mm Head
(for 4.5 & 6.5mm Screws)



305.060 Counter Sink - Q.C. End - 8.0mm Head
(for 4.5 & 6.5mm Screws)




306.010 Quick Coupling Handle T - Type




306.020 Quick Coupling Handle (Fibre Handle)



306.030 Quick Coupling Adaptor for Drill Bits



306.040 Quick Coupling Tap Handle - Long, T - Type



307.050 Tap Sleeve - 4.5mm



307.070 Drill & Tap Sleeve Combined - 3.2 / 4.5mm



307.080 Drill & tap Sleeve Combined - 3.2 /6.5mm



307.095 Insert Drill Sleeve 3.2mm



308.000 Pointed Drill Guide with 4.5mm Tap Sleeve & 3.2mm Insert Drill Sleeve



323.030 Wire Passer - Large



324.010 Plier Cum Wire Bender



324.030 Plier Cum Wire Bender Cum Wire Cutter - 9"



324.040 Plier Cum Wire Bender Cum Wire Cutter - 11"



325.010 Steinman Pin Introducer with Chuck & Key



Self Centering Bone Holding Forceps

Cat. No.	Length (mm)
340.030	240
340.040	260
340.050	280



Reduction Forceps - Serrated - Speed Lock

Cat. No.	Length (mm)
341.040	200
341.050	240



Reduction Forceps - Pointed - Speed Lock

Cat. No.	Length (mm)
342.050	200
342.060	240



379.030 Hohmann Retractor, 18mm Wide
Short Narrow Tip, 235mm Length



379.035 Hohmann Retractor, 18mm Wide
Long Narrow Tip, 235mm Length



379.040 Hohmann Retractor, 22mm Wide with
Wide Tip , 250mm Length



379.045 Hohmann Retractor, 24mm Wide with
Long Wide Tip , 270mm Length



379.050 Hohmann Retractor, 43mm Wide,
Narrow Tip, 240mm Length



379.055 Hohmann Retractor, 70mm Wide,
Narrow Tip, 240mm Length





400.107 Graphic Aluminium Box for Large Fragment
Instruments





400.020 Large Screw Box with Screw Tray & Screw
Holding Forceps for 4.5 cortical, 4.5 Malleolar
& 6.5 cancellous Screw



400.118 Graphic Aluminium Box for Large Fragment
Implant (Non - Locking)



IS.129 Large Fragment Implant Set (Non-Locking)



Cat No. IS.129	Large Fragment Implant set (Non- Locking) - Graphic Box	Units
150.105	(LC-DCP) for 4.5mm Screw Narrow 5 Holes	1
150.106	(LC-DCP) for 4.5mm Screw Narrow 6 Holes	1
150.107	LC-DCP for 4.5mm Screw Narrow 7 Holes	1
150.108	(LC-DCP) for 4.5mm Screw Narrow 8 Holes	1
150.109	(LC-DCP) for 4.5mm Screw Narrow 9 Holes	1
150.110	(LC-DCP) for 4.5mm Screw Narrow 10 Holes	1
150.112	(LC-DCP) for 4.5mm Screw Narrow 12 Holes	1
151.106	(LC-DCP) for 4.5mm Screw Broad 6 Holes	1
151.107	(LC-DCP) for 4.5mm Screw Broad 7 Holes	1
151.108	(LC-DCP) for 4.5mm Screw Broad 8 Holes	1
151.109	(LC-DCP) for 4.5mm Screw Broad 9 Holes	1
151.110	(LC-DCP) for 4.5mm Screw Broad 10 Holes	1
151.112	(LC-DCP) for 4.5mm Screw Broad 12 Holes	1
151.114	(LC-DCP) for 4.5mm Screw Broad 14 Holes	1
159.104	T - Plate 4.5mm 4 Holes	1
159.105	T - Plate 4.5mm 5 Holes	1
159.106	T - Plate 4.5mm 6 Holes	1
159.107	T - Plate 4.5mm 7 Holes	1
160.104	T-Buttress Plate 4.5mm 4 Holes	1
160.105	T-Buttress Plate 4.5mm 5 Holes	1
160.106	T-Buttress Plate 4.5mm 6 Holes	1
160.107	T-Buttress Plate 4.5mm 7 Holes	1
161.104L	Buttress Plate 4.5mm for Right Leg 4 Holes	1
161.105L	Buttress Plate 4.5mm for Right Leg 5 Holes	1
161.106L	Buttress Plate 4.5mm for Right Leg 6 Holes	1
161.107L	Buttress Plate 4.5mm for Right Leg 7 Holes	1
161.134L	Buttress Plate 4.5mm for Left Leg 4 Holes	1
161.135L	Buttress Plate 4.5mm for Left Leg 5 Holes	1
161.136L	Buttress Plate 4.5mm for Left Leg 6 Holes	1
161.137L	Buttress Plate 4.5mm for Left Leg 7 Holes	1
165.005R	Lateral Tibial Head Buttress Plate 4.5mm for Right Leg 5 Holes	1
165.007R	Lateral Tibial Head Buttress Plate 4.5mm for Right Leg 7 Holes	1
165.009R	Lateral Tibial Head Buttress Plate 4.5mm for Right Leg 9 Holes	1
165.011R	Lateral Tibial Head Buttress Plate 4.5mm for Right Leg 11 Holes	1
165.013R	Lateral Tibial Head Buttress Plate 4.5mm for Right Leg 13 Holes	1
165.105L	Lateral Tibial Head Buttress Plate 4.5mm for Left Leg 5 Holes	1
165.107L	Lateral Tibial Head Buttress Plate 4.5mm for Left Leg 7 Holes	1
165.109L	Lateral Tibial Head Buttress Plate 4.5mm for Left Leg 9 Holes	1
165.111L	Lateral Tibial Head Buttress Plate 4.5mm for Left Leg 11 Holes	1
165.113L	Lateral Tibial Head Buttress Plate 4.5mm for Left Leg 13 Holes	1

Cat No. IS.129	Large Fragment Implant set (Non- Locking) - Graphic Box	Units
164.107R	Condylar Butterss Plate 4.5mm for Right Leg 7 Holes	1
164.109R	Condylar Butterss Plate 4.5mm for Right Leg 9 Holes	1
164.111R	Condylar Butterss Plate 4.5mm for Right Leg 11 Holes	1
164.113R	Condylar Butterss Plate 4.5mm for Right Leg 13 Holes	1
164.007L	Condylar Butterss Plate 4.5mm for Left Leg 7 Holes	1
164.009L	Condylar Butterss Plate 4.5mm for Left Leg 9 Holes	1
164.011L	Condylar Butterss Plate 4.5mm for Left Leg 11 Holes	1
164.013L	Condylar Butterss Plate 4.5mm for Left Leg 13 Holes	1
106.214	Cortical Screw 4.5mm Dia. - Self Tapping Length 14mm	6
106.216	Cortical Screw 4.5mm Dia. - Self Tapping - Length 16mm	6
106.218	Cortical Screw 4.5mm Dia. - Self Tapping - Length 18mm	6
106.220	Cortical Screw 4.5mm Dia. - Self Tapping - Length 20mm	6
106.222	Cortical Screw 4.5mm Dia. - Self Tapping - Length 22mm	6
106.224	Cortical Screw 4.5mm Dia. - Self Tapping - Length 24mm	12
106.226	Cortical Screw 4.5mm Dia. - Self Tapping - Length 26mm	12
106.228	Cortical Screw 4.5mm Dia. - Self Tapping - Length 28mm	12
106.230	Cortical Screw 4.5mm Dia. - Self Tapping - Length 30mm	12
106.232	Cortical Screw 4.5mm Dia. - Self Tapping - Length 32mm	12
106.234	Cortical Screw 4.5mm Dia. - Self Tapping - Length 34mm	12
106.236	Cortical Screw 4.5mm Dia. - Self Tapping - Length 36mm	12
106.238	Cortical Screw 4.5mm Dia. - Self Tapping - Length 38mm	12
106.240	Cortical Screw 4.5mm Dia. - Self Tapping - Length 40mm	12
106.242	Cortical Screw 4.5mm Dia. - Self Tapping - Length 42mm	12
106.244	Cortical Screw 4.5mm Dia. - Self Tapping - Length 44mm	6
106.246	Cortical Screw 4.5mm Dia. - Self Tapping - Length 46mm	6
106.248	Cortical Screw 4.5mm Dia. - Self Tapping - Length 48mm	6
106.250	Cortical Screw 4.5mm Dia. - Self Tapping - Length 50mm	6
106.252	Cortical Screw 4.5mm Dia. - Self Tapping - Length 52mm	6
106.254	Cortical Screw 4.5mm Dia. - Self Tapping - Length 54mm	6
106.255	Cortical Screw 4.5mm Dia. - Self Tapping - Length 55mm	6
106.256	Cortical Screw 4.5mm Dia. - Self Tapping - Length 56mm	6
106.258	Cortical Screw 4.5mm Dia. - Self Tapping - Length 58mm	6
106.260	Cortical Screw 4.5mm Dia. - Self Tapping - Length 60mm	6
106.262	Cortical Screw 4.5mm Dia. - Self Tapping - Length 62mm	6
106.264	Cortical Screw 4.5mm Dia. - Self Tapping - Length 64mm	6
106.266	Cortical Screw 4.5mm Dia. - Self Tapping - Length 66mm	6
106.268	Cortical Screw 4.5mm Dia. - Self Tapping - Length 68mm	6
106.270	Cortical Screw 4.5mm Dia. - Self Tapping - Length 70mm	6
106.272	Cortical Screw 4.5mm Dia. - Self Tapping - Length 72mm	6
106.274	Cortical Screw 4.5mm Dia. - Self Tapping - Length 74mm	6

Cat No. IS.129	Large Fragment Implant set (Non- Locking) - Graphic Box	Units
106.280	Cortical Screw 4.5mm Dia. - Self Tapping - Length 80mm	6
108.025	Cancellous Screw 6.5mm Dia. 16mm Thread Length 25mm	4
108.030	Cancellous Screw 6.5mm Dia. 16mm Thread Length 30mm	4
108.035	Cancellous Screw 6.5mm Dia. 16mm Thread Length 35mm	4
108.040	Cancellous Screw 6.5mm Dia. 16mm Thread Length 40mm	4
108.045	Cancellous Screw 6.5mm Dia. 16mm Thread Length 45mm	4
108.050	Cancellous Screw 6.5mm Dia. 16mm Thread Length 50mm	6
108.055	Cancellous Screw 6.5mm Dia. 16mm Thread Length 55mm	6
108.060	Cancellous Screw 6.5mm Dia. 16mm Thread Length 60mm	6
108.065	Cancellous Screw 6.5mm Dia. 16mm Thread Length 65mm	6
108.070	Cancellous Screw 6.5mm Dia. 16mm Thread Length 70mm	6
108.075	Cancellous Screw 6.5mm Dia. 16mm Thread Length 75mm	6
108.080	Cancellous Screw 6.5mm Dia. 16mm Thread Length 80mm	6
108.085	Cancellous Screw 6.5mm Dia. 16mm Thread Length 85mm	4
108.090	Cancellous Screw 6.5mm Dia. 16mm Thread Length 90mm	4
108.095	Cancellous Screw 6.5mm Dia. 16mm Thread Length 95mm	4
108.100	Cancellous Screw 6.5mm Dia. 16mm Thread Length 100mm	4
108.105	Cancellous Screw 6.5mm Dia. 16mm Thread Length 105mm	4
108.110	Cancellous Screw 6.5mm Dia. 16mm Thread Length 110mm	4
109.025	Cancellous Screw 6.5mm Dia. 32mm Thread Length 25mm	4
109.030	Cancellous Screw 6.5mm Dia. 32mm Thread Length 30mm	4
109.035	Cancellous Screw 6.5mm Dia. 32mm Thread Length 35mm	4
109.040	Cancellous Screw 6.5mm Dia. 32mm Thread Length 40mm	4
109.045	Cancellous Screw 6.5mm Dia. 32mm Thread Length 45mm	4
109.050	Cancellous Screw 6.5mm Dia. 32mm Thread Length 50mm	6
109.055	Cancellous Screw 6.5mm Dia. 32mm Thread Length 55mm	6
109.060	Cancellous Screw 6.5mm Dia. 32mm Thread Length 60mm	6
109.065	Cancellous Screw 6.5mm Dia. 32mm Thread Length 65mm	6
109.070	Cancellous Screw 6.5mm Dia. 32mm Thread Length 70mm	6
109.075	Cancellous Screw 6.5mm Dia. 32mm Thread Length 75mm	6
109.080	Cancellous Screw 6.5mm Dia. 32mm Thread Length 80mm	6
109.085	Cancellous Screw 6.5mm Dia. 32mm Thread Length 85mm	4
109.090	Cancellous Screw 6.5mm Dia. 32mm Thread Length 90mm	4
109.095	Cancellous Screw 6.5mm Dia. 32mm Thread Length 95mm	4
109.100	Cancellous Screw 6.5mm Dia. 32mm Thread Length 100mm	4
109.105	Cancellous Screw 6.5mm Dia. 32mm Thread Length 105mm	4
109.110	Cancellous Screw 6.5mm Dia. 32mm Thread Length 110mm	4
110.025	Cancellous Screw 6.5mm Dia. Full - Thread Length 25mm	4
110.030	Cancellous Screw 6.5mm Dia. Full - Thread Length 30mm	4
110.035	Cancellous Screw 6.5mm Dia. Full - Thread Length 35mm	4

Cat No. IS.129	Large Fragment Implant set (Non- Locking) - Graphic Box	Units
110.040	Cancellous Screw 6.5mm Dia. Full - Thread Length 40mm	4
110.045	Cancellous Screw 6.5mm Dia. Full - Thread Length 45mm	4
110.050	Cancellous Screw 6.5mm Dia. Full - Thread Length 50mm	4
110.055	Cancellous Screw 6.5mm Dia. Full - Thread Length 55mm	6
110.060	Cancellous Screw 6.5mm Dia. Full - Thread Length 60mm	6
110.065	Cancellous Screw 6.5mm Dia. Full - Thread Length 65mm	6
110.070	Cancellous Screw 6.5mm Dia. Full - Thread Length 70mm	6
110.075	Cancellous Screw 6.5mm Dia. Full - Thread Length 75mm	6
110.080	Cancellous Screw 6.5mm Dia. Full - Thread Length 80mm	6
110.085	Cancellous Screw 6.5mm Dia. Full - Thread Length 85mm	6
110.090	Cancellous Screw 6.5mm Dia. Full - Thread Length 90mm	4
110.095	Cancellous Screw 6.5mm Dia. Full - Thread Length 95mm	4
110.100	Cancellous Screw 6.5mm Dia. Full - Thread Length 100mm	4
110.105	Cancellous Screw 6.5mm Dia. Full - Thread Length 105mm	4
110.110	Cancellous Screw 6.5mm Dia. Full Thread Length 110mm	4

IS.113 Large Fragment Instruments Set - Graphics Box




Cat No. IS.113	Description	Units
210.033	Spanner - 11mm	1
260.450	Drill Bit - S.S. - Quick Coupling End Dia. 4.5mm X 130mm Long	1
260.320	Drill Bit - S.S. - Quick Coupling End Dia. 3.2mm X 130mm Long	3
263.040	Bone Tap with T - Handle Dia. 4.5mm Thread Length 70mm, Total Length 125mm	2
263.050	Bone Tap with T- Handle Dia. 6.5mm- Cancellous, Thread Length 32mm, Total Length 200mm	1
301.050	Large Hexagonal Screw Driver 3.5mm Tip	1
301.070	Screw Driver Shaft, Q.C. End 3.5mm Tip	1
302.020	Large Plate Bender - Pair	1
303.020	Large Depth Gauge	1
304.020	Large Neutral & Loaded Drill Guide	1
305.030	Counter Sink with T - Handle - 8.0mm Head (for 4.5, & 6.5mm Screws)	1
306.010	Quick Coupling Handle T-Type	1
307.095	Insert Drill Sleeve 3.2mm	1
307.070	Drill & Tap Sleeve Combined - 3.2/4.5mm	1
307.080	Drill & Tap Sleeve Combined - 3.2/6.5mm	1
308.000	Pointed Drill Guide with 4.5mm Tap Sleeve & 3.2mm Insert Drill Sleeve	1
371.000	Sharp Hook	1
400.107	Graphic Aluminium Box For Large Fragment Instruments	1

Set Screw Large

Cat No. IS.013	Screw Set - Large	Units
106.214	Cortical Screw 4.5mm Dia. Length 14mm	7
106.216	Cortical Screw 4.5mm Dia. Length 16mm	7
106.218	Cortical Screw 4.5mm Dia. Length 18mm	7
106.220	Cortical Screw 4.5mm Dia. Length 20mm	7
106.222	Cortical Screw 4.5mm Dia. Length 22mm	7
106.224	Cortical Screw 4.5mm Dia. Length 24mm	7
106.226	Cortical Screw 4.5mm Dia. Length 26mm	14
106.228	Cortical Screw 4.5mm Dia. Length 28mm	14
106.230	Cortical Screw 4.5mm Dia. Length 30mm	12
106.232	Cortical Screw 4.5mm Dia. Length 32mm	12
106.234	Cortical Screw 4.5mm Dia. Length 34mm	12
106.236	Cortical Screw 4.5mm Dia. Length 36mm	12
106.238	Cortical Screw 4.5mm Dia. Length 38mm	12
106.240	Cortical Screw 4.5mm Dia. Length 40mm	6
106.242	Cortical Screw 4.5mm Dia. Length 42mm	6
106.244	Cortical Screw 4.5mm Dia. Length 44mm	6
106.246	Cortical Screw 4.5mm Dia. Length 46mm	6
106.248	Cortical Screw 4.5mm Dia. Length 48mm	6
106.250	Cortical Screw 4.5mm Dia. Length 50mm	6
108.025	Cancellous Screw 6.5mm Dia. 16mm Thread Length 25mm	2
108.030	Cancellous Screw 6.5mm Dia. 16mm Thread Length 30mm	2
108.035	Cancellous Screw 6.5mm Dia. 16mm Thread Length 35mm	2
108.040	Cancellous Screw 6.5mm Dia. 16mm Thread Length 40mm	2
108.045	Cancellous Screw 6.5mm Dia. 16mm Thread Length 45mm	2
108.050	Cancellous Screw 6.5mm Dia. 16mm Thread Length 50mm	2
108.055	Cancellous Screw 6.5mm Dia. 16mm Thread Length 55mm	2
108.060	Cancellous Screw 6.5mm Dia. 16mm Thread Length 60mm	2
115.020	Washer .S.S. for 6.5mm Cancellous and 7.0mm Cannulated Cancellous Screw	12
400.020	Large Screw Box with Screw Tray & Screw Holding Forceps for 4.5 Cortical, 4.5 Malleolar & 6.5 Cancellous Screws	1
109.030	Cancellous Screw 6.5mm Dia. 32mm Thread Length 30mm	4
109.035	Cancellous Screw 6.5mm Dia. 32mm Thread Length 35mm	4
109.040	Cancellous Screw 6.5mm Dia. 32mm Thread Length 40mm	4
109.045	Cancellous Screw 6.5mm Dia. 32mm Thread Length 45mm	4
109.050	Cancellous Screw 6.5mm Dia. 32mm Thread Length 50mm	4
109.055	Cancellous Screw 6.5mm Dia. 32mm Thread Length 55mm	4
109.060	Cancellous Screw 6.5mm Dia. 32mm Thread Length 60mm	4
109.025	Cancellous Screw 6.5mm Dia. 32mm Thread Length 25mm	4
107.025	Malleolar Screw 4.5mm Dia. Length 25mm	2
107.030	Malleolar Screw 4.5mm Dia. Length 30mm	2
107.035	Malleolar Screw 4.5mm Dia. Length 35mm	2
107.040	Malleolar Screw 4.5mm Dia. Length 40mm	2
107.045	Malleolar Screw 4.5mm Dia. Length 45mm	2
107.050	Malleolar Screw 4.5mm Dia. Length 50mm	2
107.055	Malleolar Screw 4.5mm Dia. Length 55mm	2
107.060	Malleolar Screw 4.5mm Dia. Length 60mm	2

IS.116 Pelvic Reconstruction Plate Instrument Set



IS.116	PELVIC RECONSTRUCTION PLATE INSTRUMENT SET	UNITS
391.005	Toothed Reduction Forceps, Small - 200mm	1
391.010	Toothed Reduction Forceps, Large - 250mm	1
391.015	Asymmetric Reduction Forceps, 405mm	1
391.020	Universal Hex Screw Driver - 220mm length, 2.5mm tip	1
391.025	Drill Bit Dia 2.5mm X 150mm	5
391.030	Drill Bit Dia 3.0mm x 150mm	2
391.035	Drill Guide, 2.5/4.0mm- 160mm	1
391.040	Drill Guide, 3.0/4.0mm - 160mm	1
391.045	Flexible Drill, Dia. 2.5mm - 215mm	1
391.046	Drill Guide For Flexible Drill Bit	1
391.050	Plate Bender pair - 200mm	1
391.055	Curved Position Forceps, 280mm	1
391.060	Curved Position Forceps, 250mm	1
391.065	Hex Ball & Socket Screw Driver 2.5mm Tip	1
391.070	Reposition Forceps, 290mm	1
391.075	Depth Gauge, 60mm	1
391.080	Tap 4.0 Cancellous, T-Handle 140mm Long	1
391.085	Tap 3.5 Cortical, T-Handle 140mm long	1
391.090	Template, Straight	1
391.095	Template, Curved	1
391.100	Screw Clamp Forceps - 215mm	1
391.105	Small Bone Hook	1
391.110	Push Rod	2
391.115	Reposition Forceps, 410mm	1
391.120	Hohmann Retractor For Distraction & Reduction	1
391.125	Reposition forceps for Acetabulum	1
391.130	T Retractor	1
391.135	Plate Bend Forceps - 275mm	1
391.116	Pelvic Reduction Forceps Long with three Pointed Ball Tips - 410mm	1
400.106	Graphic Aluminium Instruments Box For Pelvic Reconstruction Plate	1



Siora Surgical Private Limited
Manufacturer of:
Trauma & Spine Implants



Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura
Delhi - 110035, INDIA



Office Land line:

+91 11 28316116 , 17, 18



Manufacturing Unit:

1792, HSIIDC Indl. Estate
RAI District, Sonapat
Haryana- 131029, INDIA



www.siora.com



impex@siora.net



exports@siora.net